Brain

A Journal of Neurology

Edited by P. K. THOMAS

Deputy Editor L. WEISKRANTZ

with the help of

D. Y. VON CRAMON
L. W. DUCHEN
L. L. IVERSEN
W. I. MCDONALD
T. A. SEARS
J. M. NEWSOM-DAVIS
E. PIERROT-DESEILLIGNY

Assistant Editor E. MACDOUGALL

Secretary and Treasurer M. J. G. HARRISON

VOLUME 107

★

OXFORD
AT THE CLARENDON PRESS

1984

Oxford University Press, Walton Street, Oxford OX2 6DP
London New York Toronto
Delhi Bombay Calcutta Madras Karachi
Kuala Lumpur Singapore Hong Kong Tokyo
Nairobi Dar es Salaam Cape Town
Melbourne Auckland
and associated companies in
Beirut Berlin Ibadan Mexico City Nicosia

Oxford is a trade mark of Oxford University Press

© *Oxford University Press 1984*

Printed in Great Britain
at the University Press, Oxford
by David Stanford
Printer to the University

BRAIN

A JOURNAL OF NEUROLOGY

INDEX FOR VOL. 107, 1984

AUTHORS

Aarts J H P, Binnie C D, Smit A M, Wilkins A J. Selective cognitive impairment during focal and generalized epileptiform EEG activity. 293

Aminoff M J, *see* Goodin D S, 241

Aminoff M J, Simon R P, Wiedemann E. The hormonal responses to generalized tonic-clonic seizures. 569

Andermann E, *see* Nudleman K, 533

Andermann F, *see* Nudleman K, 533

Arnold K, *see* Wilkins A J, 989

Barlow H B, *see* Phillips C G, 327

Barrie M, *see* Wilkins A J, 989

Bell M A, Weddell A G M. A descriptive study of the blood vessels of the sciatic nerve in the rat, man and other mammals. 871

Beppu H, Suda M, Tanaka R. Analysis of the cerebellar motor disorders by visually guided elbow tracking movement. 787

Berger W, *see* Dietz V, 965

Bertrand G, *see* Nudleman K, 533

Binnie C D, *see* Aarts J H P, 293

Bisiach E, Cornacchia L, Sterzi R, Vallar G. Disorders of perceived auditory lateralization after lesions of the right hemisphere. 37

Bloxham C A, Mindel T A, Frith C D. Initiation and execution of predictable and unpredictable movements in Parkinson's disease. 371

Bowers D, *see* Heilman K M, 519

Brandt Th, *see* Paulus W M, 1143

Brown W F, Feasby T E. Conduction block and denervation in Guillain-Barré polyneuropathy. 219

Burke D, *see* Gandevia S C, 1

Campbell J N, *see* Raja S N, 1179

Cannon K P, *see* Yao J K, 597

Clark F J, *see* Vallbo Å B, 727

Clark J B, *see* Hayes D J, 1165

Cohen L, *see* Lesser R P, 275

Cook A W, Nathan P W, Smith M C. Sensory consequences of commissural myelotomy: a challenge to traditional anatomical concepts. 547

Cornacchia L, *see* Bisiach E, 37

Crapper-McLachlan D, *see* Schlotterer G, 309

Crossman A R, Sambrook M A, Jackson A. Experimental hemichorea/hemiballismus in the monkey: studies on the intracerebral site of action in a drug-induced dyskinesia. 579

Davidoff J B, Ostergaard A L. Colour anomia resulting from weakened short-term colour memory: a case study. 415

Deacon P, *see* Smith M C, 671

De Bleser R, *see* Poeck K, 199

Della Sala S, *see* Wilkins A J, 989

Dietz V, Berger W. Interlimb coordination of posture in patients with spastic paresis: impaired function of spinal reflexes. 965

Dinner D S, *see* Lee Y S, 115

Dinner D S, *see* Lesser R P, 275

Dyck P J, *see* Yao J K, 597

Emerson R G, Seyal M, Pedley T A. Somatosensory evoked potentials following median nerve stimulation. I. The cervical components. 169

Feasby T E, *see* Brown W F, 219

Ferro J M, *see* Kertesz A, 921

Frith C D, *see* Bloxham C A, 371

Gandevia S C, Burke D, McKeon B. The projection of muscle afferents from the hand to cerebral cortex in man. 1

Gazzaniga M S, Smylie C S. Dissociation of language and cognition: a psychological profile of two disconnected right hemispheres. 145
Goasguen J, *see* Pierrot-Deseilligny Ch, 1019
Goldberg T E, Rothermel R D. Hyperlexic children reading. 759
Goltzman D, *see* Rouleau M F, 107
Goodin D S, Aminoff M J. The relationship between the evoked potential and brain events in sensory discrimination and motor response. 241
Graybiel A, *see* Lackner J R, 133

Hahn J, *see* Lee Y S, 115
Hahn J, *see* Lesser R P, 275
Harbison J W, Lessell S, Selhorst J B. Neuro-ophthalmology of sphenoid sinus carcinoma. 855
Hardie R J, Lees A J, Stern G M. On-off fluctuations in Parkinson's disease: a clinical and neuropharmacological study. 487
Hayes D J, Leckey B R F, Landon D N, Morgan-Hughes J A, Clark, J B. A new mitochondrial myopathy: biochemical studies revealing a deficiency in the cytochrome b-c_1. 1165
Heilman K M, *see* Roeltgen D P, 811
Heilman K M, Bowers D, Watson R T. Pseudoneglect in a patient with partial callosal disconnection. 519
Henn V, Lang W, Hepp K, Reisine H. Experimental gaze palsies in monkeys and their relation to human pathology. 619
Hepp K, *see* Henn V, 619
Hierons R, *see* Parkin P J, 951
Hood J D, *see* Kayan A, 1123

Ikeda H, *see* Pessoa V F, 433
Iversen L L, *see* Mountjoy C Q, 507

Jackson A, *see* Crossman A R, 579
Jeannerod M, Michel F, Prablanc C. The control of hand movements in a case of hemianaesthesia following a parietal lesion. 899
Jordan L S, *see* Risse G L, 605

Kayan A, Hood J D. Neuro-otological manifestations of migraine. 1123
Kertesz A, Ferro J M. Lesion size and location in ideomotor apraxia. 921
Keyserlingk D Graf von, *see* Poeck K, 199
Klem G, *see* Lee Y S, 115
Kölmel H W. Coloured patterns in hemianopic fields. 155
Kobos K L, *see* Robinson R G, 81
Kurtzke J F, *see* Masucci E F, 53

Lackner J R, Graybiel A. Perception of body weight and body mass at twice earth-gravity acceleration levels. 133
Landon D N, *see* Hayes D J, 1165
Lang W, *see* Henn V, 619
Lauritzen M, Olesen J. Regional cerebral blood flow during migraine attacks studied by xenon-133 inhalation and emission tomography. 447
Le Bars D, *see* Willer J C, 1095
Leckey B R F, *see* Hayes D J, 1165
Lee J, *see* Morris J G L, 751
Lee Y S, Lueders H, Dinner D S, Lesser R P, Hahn J, Klem G. Recording of auditory evoked potentials in man using chronic subdural electrodes. 115
Lees A J, *see* Hardie R J, 487
Lessell S, *see* Harbison J W, 855
Lesser R P, *see* Lee Y S, 115
Lesser R P, Lueders H, Dinner D S, Hahn J, Cohen L. The location of speech and writing functions in the frontal language area: results of extraoperative cortical stimulation. 275
Lim C L, *see* Morris J G L, 751
Low P A, *see* Tuck R R, 935
Ludwig J, *see* Yao J K, 597
Lueders H, *see* Lee Y S, 115
Lueders H, *see* Lesser R P, 275

McCarthy R, Warrington E K. A two-route model of speech production: evidence from aphasia. 463
McDonald W I, *see* Parkin P J, 951
McKeon B, *see* Gandevia S C, 1
McManus I C, *see* Wilkins A J, 989
Masucci E F, Kurtzke J F, Saini N. Myorhythmia: a widespread movement disorder. Clinicopathological correlations. 53
Mauritz K-H, *see* Weinrich M, 385
Mesulam M-M, Mufson E J. Neural inputs into the nucleus basalis of the substantia innominata (Ch4) in the Rhesus monkey. 253
Meyer R A, *see* Raja S N, 1179
Michel F, *see* Jeannerod M, 899
Mindel T A, *see* Bloxham C A, 371
Minderhoud J M, *see* Snoek J W, 15
Morgan-Hughes J A, *see* Hayes D J, 1165
Morris J G L, Lee J, Lim C L. Facial sweating in Horner's syndrome. 751
Moscovitch M, *see* Schlotterer G, 309
Mountjoy C Q, Rossor M N, Iversen L L, Roth M. Correlation of cortical cholinergic and GABA deficits with quantitative neuropathological findings in senile dementia. 507
Mufson E J, *see* Mesulam M-M, 253
Murray T J, *see* Quine D B, 1113

Nathan P W, *see* Cook A W, 547
Nimmo-Smith I, *see* Wilkins A J, 989
Nudleman K, Andermann E, Andermann F, Bertrand G, Rogala E. The hemi 3 syndrome: hemihypertrophy, hemihypaesthesia, hemiareflexia and scoliosis. 533

Olesen J, *see* Lauritzen M, 447
Olsson K Å, *see* Vallbo Å B, 727
Ostergaard A L, *see* Davidoff J B, 415

Parkin P J, Hierons R, McDonald, W I. Bilateral optic neuritis: a long-term follow up. 951
Paulus W M, Straube A, Brandt Th. Visual stabilization of posture: physiological stimulus characteristics and clinical aspects. 1143
Pedley T A, *see* Emerson R G, 169

Pender M P, Sears T A. The pathophysiology of acute experimental allergic encephalomyelitis in the rabbit. 699
Pessoa V F, Ikeda H. Increase in axonal transport in demyelinating optic nerve fibres in the mouse infected with Semliki Forest virus. 433
Phillips C G, Zeki S, Barlow H B. Localization of function in the cerebral cortex: past, present and future. 327
Pierrot-Deseilligny Ch, Goasguen J. Isolated abducens nucleus damage due to histiocytosis X. 1019
Plourde G, Sperry R W. Left hemisphere involvement in left spatial neglect from right-sided lesions: a commissurotomy study. 95
Poeck K, De Bleser R, Keyserlingk D Graf von. Neurolinguistic status and localization of lesion in aphasic patients with exclusively consonant-vowel recurring utterances. 199
Posner M I, *see* Rafal R D, 1083
Prablanc C, *see* Jeannerod M, 899
Price T R, *see* Robinson R G, 81

Quine D B, Regan D, Murray T J. Degraded discrimination between speech-like sounds by patients with multiple sclerosis and with Friedreich's ataxia. 1113

Rack P M H, Ross H F, Thilmann A E. The ankle stretch reflexes in normal and spastic subjects: the response to sinusoidal movement. 637
Rafal R D, Posner M I, Walker J A. Cognition and the basal ganglia: separating mental and motor components of performance in Parkinson's disease. 1083
Raja S N, Campbell J N, Meyer R A. Evidence for different mechanisms of primary and secondary hyperalgesia following heat injury to the glabrous skin. 1179
Rao K, *see* Robinson R G, 81
Regan D, *see* Quine D B, 1113
Reisine H, *see* Henn V, 619
Risse G L, Rubens A B, Jordan L S. Disturbances of long-term memory in aphasic patients: a comparison of anterior and posterior lesions. 605
Robinson R G, Kubos K L, Starr L B, Rao K, Price T R. Mood disorders in stroke patients: importance of location of lesion. 81
Roby A, *see* Willer J C, 1095
Roeltgen D P, Heilman K M. Lexical agraphia: further support for the two-system hypothesis of linguistic agraphia. 811
Rogala E, *see* Nudleman K, 533
Rosenberg M L. Congenital trigeminal anaesthesia: a review and classification. 1073
Ross H F, *see* Rack P M H, 637
Rossor M N, *see* Mountjoy C Q, 507
Roth M, *see* Mountjoy C Q, 507
Rothermel R D, *see* Goldberg T E, 759
Rouleau M F, Warshawsky H, Goltzman D. Specific receptors for calcitonin in the subfornical organ of the brain. 107
Rubens A B, *see* Risse G L, 605

Saini N, *see* Masucci E F, 53
Sambrook M A, *see* Crossman A R, 579
Saunders R C, *see* Weiskrantz L, 1033
Schlotterer G, Moscovitch M, Crapper-McLachlan D. Visual processing deficits as assessed by spatial frequency contrast sensitivity and backward masking in normal ageing and Alzheimer's disease. 309
Schmelzer J D, *see* Tuck R R, 935
Scott S, *see* Wilkins A J, 989
Sears T A, *see* Pender M P, 699
Selhorst J B, *see* Harbison J W, 855
Seyal M, *see* Emerson R G, 169
Shallice T, *see* Warrington E K, 829
Simon R P, *see* Aminoff M J, 569
Smit A M, *see* Aarts J H P, 293
Smith M C, *see* Cook A W, 547
Smith M C, Deacon P. Topographical anatomy of the posterior columns of the spinal cord in man: the long ascending fibres. 671
Smylie C S, *see* Gazzaniga M S, 145
Snoek J W, Minderhoud J M, Wilmink J T. Delayed deterioration following mild head injury in children. 15
Sperry R W, *see* Plourde G, 95
Starr L B, *see* Robinson R G, 81
Stern G M, *see* Hardie R J, 487
Sterzi R, *see* Bisiach E, 37
Stjernberg L, *see* Wallin B G, 183
Straube A, *see* Paulus W M, 1143
Suda M, *see* Beppu H, 787

Tait A, *see* Wilkins A J, 989
Tanaka R, *see* Beppu H, 787
Thilmann A F, *see* Rack P M H, 637
Tilley A, *see* Wilkins A J, 989
Tuck R R, Schmelzer J D, Low P A. Endoneurial blood flow and oxygen tension in the sciatic nerves of rats with experimental diabetic neuropathy. 935

Vallar G, *see* Bisiach E, 37
Vallbo Å B, Olsson K Å, Westberg K-G, Clark F J. Microstimulation of single tactile afferents from the human hand: sensory attributes related to unit type and properties of receptive fields. 727

Walker J A, *see* Rafal R D, 1083
Wallin B G, Stjernberg L. Sympathetic activity in man after spinal cord injury: outflow to skin below the lesion. 183
Warrington E K, *see* McCarthy R, 463
Warrington E K, Shallice T. Category specific semantic impairments. 829
Warshawsky H, *see* Rouleau M F, 107
Watson R T, *see* Heilman K M, 519
Weddell A G M, *see* Bell M A, 871
Weinrich M, Wise S P, Mauritz K-H. A neurophysiological study of the premotor cortex in the Rhesus monkey. 385
Weiskrantz L, Saunders R C. Impairments of visual object transforms in monkeys. 1033
Westberg K-G, *see* Vallbo Å B, 727

Wiedemann E, *see* Aminoff M J, 569
Wilkins A J, *see* Aarts J H P, 293
Wilkins A J, Nimmo-Smith I, Tait A, Mcmanus I C, Della Sala S, Tilley A, Arnold K, Barrie M, Scott S. A neurological basis for visual discomfort. 989
Willer J C, Roby A, Le Bars D. Psycho- and electrophysiological approaches to the pain-relieving effects of heterotopic nociceptive stimuli. 1095
Wilmink J T, *see* Snoek J W, 15
Wise S P, *see* Weinrich M, 385

Yao J K, Dyck P J, Cannon K P, Ludwig J. Lipid abnormalities of xanthomatous nerves. 597

Zeki S, *see* Phillips C G, 327

TITLES AND SUBJECTS

Abducens nucleus damage, isolated, due to histiocytosis X (Pierrot-Deseilligny and Goasguen), 1019
Acceleration levels, twice earth-gravity, perception of body weight and body mass (Lackner and Graybiel), 133
Afferents, muscle, projection of, from the hand to cerebral cortex in man (Gandevia *et al.*), 1
Agraphia, lexical: further support for the two-system hypothesis of linguistic agraphia (Roeltgen and Heilman), 811
Alzheimer's disease, and normal ageing, visual processing deficits as assessed by spatial frequency contrast sensitivity and backward masking in (Schlotterer *et al.*), 309
Ankle stretch reflexes in normal and spastic subjects: response to sinusoidal movement (Rack *et al.*), 637
Anomia, colour, resulting from weakened short-term colour memory: a case study (Davidoff and Ostergaard), 415
Aphasia, evidence from, for a two-route model of speech production (McCarthy and Warrington), 463
Aphasic patients: disturbances of long-term memory in: a comparison of anterior and posterior lesions (Risse *et al.*), 605
Aphasic patients with exclusively consonant-vowel recurring utterances, neurolinguistic status and localization of lesion in (Poeck *et al.*), 199
Apraxia, ideomotor, lesion size and location in (Kertesz and Ferro), 921
Auditory evoked potentials in man, recording of, using chronic subdural electrodes (Lee *et al.*), 115
Auditory lateralization, disorders of, after lesions of the right hemisphere (Bisiach *et al.*), 37
Axonal transport, increase in, in demyelinating optic nerve fibres in the mouse infected with Semliki Forest virus (Pessoa and Ikeda), 433

Basal ganglia and cognition: separating mental and motor components of performance in Parkinson's disease (Rafal *et al.*), 1083
b-c_1 cytochrome, biochemical studies revealing a deficiency in: a new mitochondrial myopathy (Hayes *et al.*), 1165
Blood vessels of the sciatic nerve in rat, man and other mammals, a descriptive study (Bell and Weddell), 871
Body weight and body mass, perception of, at twice earth-gravity acceleration levels (Lackner and Graybiel), 133

Calcitonin, specific receptors for, in the subfornical organ of the brain (Rouleau *et al.*), 107
Callosal disconnection, partial, pseudoneglect in a patient with (Heilman *et al.*), 519
Category specific semantic impairments (Warrington and Shallice). 829
Cerebellar motor disorders, analysis, by visually guided elbow tracking movement (Beppu *et al.*), 787
Cerebral blood flow, regional, studied during migraine attacks by xenon-133 inhalation and emission tomography (Lauritzen and Olesen), 447
Cerebral cortex, localization of function in (Phillips *et al.*), 327
Cholinergic, cortical, and GABA deficits, correlation of, with quantitative neuropathological findings in senile dementia (Mountjoy *et al.*), 507
Cognition and the basal ganglia: separating mental and motor components of performance in Parkinson's disease (Rafal *et al.*), 1083
Cognition, dissociation of language and: a psychological profile of two disconnected right hemispheres (Gazzaniga and Smylie), 145
Cognitive impairment, selective, during focal and generalized epileptiform EEG activity (Aarts *et al.*), 293
Colour anomia resulting from weakened short-term colour memory: a case study (Davidoff and Ostergaard), 415
Coloured patterns in hemianopic fields (Kölmel), 155
Commissural myelotomy: sensory consequences of (Cook *et al.*), 547
Commissurotomy: left hemisphere involvement in left spatial neglect from right-sided lesions. Study of lesion size and location in ideomotor apraxia (Plourde and Sperry), 95
Conduction block and denervation in Guillain-Barré polyneuropathy (Brown and Feasby), 219
Congenital trigeminal anaesthesia: a review and classification (Rosenberg), 1073
Consonant-vowel recurring utterances, aphasic patients with, neurolinguistic status and location of lesion (Poeck *et al.*), 199

Control of hand movements in a case of hemianaesthesia following a parietal lesion (Jeannerod *et al.*), 899
Cortical and cholinergic GABA deficits, correlation of, with quantitative neuropathological findings in senile dementia (Mountjoy *et al.*), 507

Degraded discrimination between speech-like sounds by patients with multiple sclerosis and with Friedreich's ataxia (Quine *et al.*), 1113
Delayed deterioration following mild head injury in children (Snoek *et al.*), 15
Denervation, conduction block and, in Guillain-Barré polyneuropathy (Brown and Feasby), 219
Diabetic neuropathy, experimental, endoneurial blood flow and oxygen tension in the sciatic nerves of rats with (Tuck *et al.*), 935
Disorders of perceived auditory lateralization after lesions of the right hemisphere (Bisiach *et al.*), 37
Dissociation of language and cognition: a psychological profile of two disconnected right hemispheres (Gazzaniga and Smylie), 145
Disturbances of long-term memory in aphasic patients: a comparison of anterior and posterior lesions (Risse *et al.*), 605
Dyskinesia, drug-induced, studies on the intracerebral site of action in: experimental hemichorea/hemiballismus in the monkey (Crossman *et al.*), 579

Electro- and psychophysiological approaches to the pain-relieving effects of heterotopic nociceptive stimuli (Willer *et al.*), 1095
Emission tomography and xenon-133 inhalation to study regional cerebral blood flow during migraine attacks (Lauritzen and Olesen), 447
Encephalomyelitis in the rabbit, acute experimental allergic, pathophysiology of (Pender and Sears), 699
Endoneurial blood flow and oxygen tension in the sciatic nerves of rats with experimental diabetic neuropathy (Tuck *et al.*), 935
Epileptiform EEG activity, focal and generalized, selective cognitive impairment during (Aarts *et al.*), 293
Evidence for different mechanisms of primary and secondary hyperalgesia following heat injury to the glabrous skin (Raja *et al.*), 1179
Evoked potential and brain events, relationship between, in sensory discrimination and motor response (Goodin and Aminoff), 241
Evoked potentials, somatosensory, following median nerve stimulation: the cervical components (Emerson *et al.*), 169
Evoked potentials in man, auditory, recording of, using chronic subdural electrodes (Lee *et al.*), 115
Experimental gaze palsies in monkeys and their relation to human pathology (Henn *et al.*), 619
Experimental hemichorea/hemiballismus in the monkey: studies on the intracerebral site of action in a drug-induced dyskinesia (Crossman *et al.*), 579

Facial sweating in Horner's syndrome (Morris *et al.*), 751
Friedreich's ataxia and multiple sclerosis, degraded discrimination between speech-like sounds in (Quine *et al.*), 1113

GABA and cortical cholinergic deficits, correlation of, with quantitative neuropathological findings in senile dementia (Mountjoy *et al.*), 507
Gaze palsies, experimental, in monkeys: their relation to human pathology (Henn *et al.*), 619
Guillain-Barré polyneuropathy, conduction block and denervation in (Brown and Feasby), 219

Hand, human, microstimulation of single tactile afferents from (Vallbo *et al.*), 727
Hand movements, control of, in a case of hemianaesthesia following a parietal lesion (Jeannerod *et al.*), 899
Head injury in children, delayed deterioration following (Snoek *et al.*), 15
Hemianaesthesia, the control of hand movements in a case of, following a parietal lesion (Jeannerod *et al.*), 899
Hemianopic fields, coloured patterns in (Kölmel), 155
Hemiareflexia, hemihypertrophy, hemihypaesthesia and scoliosis: the hemi 3 syndrome (Nudleman *et al.*), 533
Hemiballismus/hemichorea, experimental, in the monkey: studies on the intracerebral site of action in a drug-induced dyskinesia (Crossman *et al.*), 579
Hemihypaesthesia, hemihypertrophy, hemiareflexia and scoliosis: the hemi 3 syndrome (Nudleman *et al.*), 533
Hemihypertrophy, hemihypaesthesia, hemiareflexia and scoliosis: the hemi 3 syndrome (Nudleman *et al.*), 533
Hemi 3 syndrome: hemihypertrophy, hemihypaesthesia, hemiareflexia and scoliosis (Nudleman *et al.*), 533
Heterotopic nociceptive stimuli, psycho- and electrophysiological approaches to the pain-relieving effects of (Willer *et al.*), 1095
Histiocytosis X, isolated abducens nucleus damage due to (Pierrot-Deseilligny and Goasguen), 1019
Hormonal responses to generalized tonic-clonic seizures (Aminoff *et al.*), 569
Horner's syndrome, facial sweating in (Morris *et al.*), 751
Hyperalgesia, following heat injury to the glabrous skin: primary and secondary, evidence for different mechanisms (Raja *et al.*), 1179
Hyperlexic children reading (Goldberg and Rothermel), 759

Ideomotor apraxia, lesion size and location in (Kertesz and Ferro), 921
Impairments of visual object transforms in monkeys (Weiskrantz and Saunders), 1033
Increase in axonal transport in demyelinating optic nerve fibres in the mouse infected with Semliki Forest virus (Pessoa and Ikeda), 433
Initiation and execution of predictable and unpredictable movements in Parkinson's disease (Bloxham *et al.*), 371
Interlimb co-ordination of posture in patients with spastic paresis: impaired function of spinal reflexes (Dietz and Berger), 965

Isolated abducens nucleus damage due to histocytosis X (Pierrot-Deseilligny and Goasguen), 1019

Language and cognition, dissociation of: a psychological profile of two disconnected right hemispheres (Gazzaniga and Smylie), 145
Language area, frontal, location of speech and writing functions in: results of extraoperative cortical stimulation (Lesser *et al.*), 275
Left hemisphere involvement in left spatial neglect from right-sided lesions: a commissurotomy study (Plourde and Sperry), 95
Lesion size and location in ideomotor apraxia (Kertesz and Ferro), 921
Lexical agraphia: further support for the two-system hypothesis of linguistic agraphia (Roeltgen and Heilman), 811
Linguistic agraphia, further support for the two-system hypothesis of: lexical agraphia (Roeltgen and Heilman), 811
Lipid abnormalities of xanthomatous nerves (Yao *et al.*), 597
Localization of function in the cerebral cortex: past, present and future (Phillips *et al.*), 327
Location of speech and writing functions in the frontal language area: results of extraoperative stimulation (Lesser *et al.*), 275

Median nerve stimulation, somatosensory evoked potentials following: the cervical components (Emerson *et al.*), 169
Memory, disturbances of long-term, in aphasic patients: a comparison of anterior and posterior lesions (Risse *et al.*), 605
Microstimulation of single tactile afferents from the human hand: sensory attributes related to unit type and properties of receptive fields (Vallbo *et al.*), 727
Migraine, neuro-otological manifestations of (Kayan and Hood), 1123
Migraine attacks, regional cerebral blood flow during, studied by xenon-133 inhalation and emission tomography (Lauritzen and Olesen), 447
Mitochondrial myopathy, a new: biochemical studies revealing a deficiency in the cytochrome b-c_1 (Hayes *et al.*), 1165
Mood disorders in stroke patients: importance of location of lesion (Robinson *et al.*), 81
Motor disorders, cerebellar, analysis of, by visually guided elbow tracking movement (Beppu *et al.*), 787
Movement disorder: myorhythmia (Masucci *et al.*), 53
Multiple sclerosis and Friedreich's ataxia patients, degraded discrimination between speech-like sounds by (Quine *et al.*), 1113
Muscle afferents, projection of, from the hand to cerebral cortex in man (Gandevia *et al.*), 1
Myelotomy, commissural, sensory consequences of (Cook *et al.*), 547
Myorhythmia: a widespread movement disorder: clinicopathological correlations (Masucci *et al.*), 53

Neural inputs into the nucleus basalis of the substantia innominata (Ch4) in the Rhesus monkey (Mesulam and Mufson), 253
Neurolinguistic status and localization of lesion in aphasic patients with exclusively consonant-vowel recurring utterances (Poeck *et al.*), 199
Neurological basis for visual discomfort (Wilkins *et al.*), 989
Neuro-ophthalmology of sphenoid sinus carcinoma (Harbison *et al.*), 855
Neuro-otological manifestations of migraine (Kayan and Hood), 1123
Neurophysiological study of the premotor cortex in the Rhesus monkey (Weinrich *et al.*), 385
New mitochondrial myopathy: biochemical studies revealing a deficiency in the cytochrome b-c_1 (Hayes *et al.*), 1165
Nucleus basalis of the substantia innominata (Ch4) in the Rhesus monkey, neural inputs into (Mesulam and Mufson), 253

On-off fluctuations in Parkinson's disease: a clinical and neuropharmacological study (Hardie *et al.*), 487
Optic nerve fibres, demyelinating, in the mouse infected with Semliki Forest virus, increase in axonal transport in (Pessoa and Ikeda), 433
Optic neuritis, bilateral: a long-term follow-up (Parkin *et al.*), 951
Oxygen tension and endoneurial blood flow in the sciatic nerves of rats with experimental diabetic neuropathy (Tuck *et al.*), 935

Paresis, spastic, interlimb co-ordination of posture in patients with (Dietz and Berger), 965
Parietal lesion, control of hand movements in a case of hemianaesthesia following a (Jeannerod *et al.*), 899
Parkinson's disease, initiation and execution of predictable and unpredictable movements in (Bloxham *et al.*), 371
Parkinson's disease, on-off fluctuations in (Hardie *et al.*), 487
Parkinson's disease, separating mental and motor components of performance in: cognition and the basal ganglia (Rafal *et al.*), 1083
Pathophysiology of acute experimental allergic encephalomyelitis in the rabbit (Pender and Sears), 699
Patterns, coloured, in hemianopic fields (Kölmel), 155
Perception of body weight and body mass at twice earth-gravity acceleration levels (Lackner and Graybiel), 133
Polyneuropathy, Guillain-Barré, conduction block and denervation (Brown and Feasby), 219
Posture, interlimb co-ordination of, in patients with spastic paresis: impaired function of spinal reflexes (Dietz and Berger), 965
Posture, visual stabilization of: physiological stimulus characteristics and clinical aspects (Paulus *et al.*), 1145
Premotor cortex in the Rhesus monkey, a neurophysiological study of (Weinrich *et al.*), 385

Projection of muscle afferents from the hand to cerebral cortex in man (Gandevia *et al.*), 1
Pseudoneglect in a patient with partial callosal disconnection (Heilman *et al.*), 519
Psycho- and electrophysiological approaches to the pain-relieving effects of heterotopic nociceptive stimuli (Willer *et al.*), 1095

Reading in hyperlexic children (Goldberg and Rothermel), 759
Recording of auditory evoked potentials in man using chronic subdural electrodes (Lee *et al.*), 115
Regional cerebral blood flow during migraine attacks studied by xenon-133 inhalation and emission tomography (Lauritzen and Olesen), 447
Relationship between the evoked potential and brain events in sensory discrimination and motor response (Goodin and Aminoff), 241

Sciatic nerve in the rat, man and other mammals, blood vessels of, a descriptive study (Bell and Weddell), 871
Sciatic nerves of rats with experimental diabetic neuropathy, endoneurial blood flow and oxygen tension in (Tuck *et al.*), 935
Scoliosis, hemihypertrophy, hemihypaesthesia and hemiareflexia: the hemi 3 syndrome (Nudleman *et al.*), 533
Selective cognitive impairment during focal and generalized epileptiform EEG activity (Aarts *et al.*), 293
Semantic impairments, category specific (Warrington and Shallice), 829
Semliki Forest virus, increase in axonal transport in demyelinating optic nerve fibres in the mouse infected with (Pessoa and Ikeda), 433
Senile dementia, correlation of cortical cholinergic and GABA deficits with quantitative neuropathological findings in (Mountjoy *et al.*), 507
Sensory consequences of commissural myelotomy: a challenge to traditional anatomical concepts (Cook *et al.*), 547
Sensory discrimination and motor response, relationship between the evoked potential and brain events in (Goodin and Aminoff), 241
Somatosensory evoked potentials following median nerve stimulation. I. The cervical components (Emerson *et al.*), 169
Spastic paresis, interlimb coordination of posture in patients with (Dietz and Berger), 965
Spatial neglect, left, from right-sided lesions, left hemisphere involvement in: a commissurotomy study (Plourde and Sperry), 95
Specific receptors for calcitonin in the subfornical organ of the brain (Rouleau *et al.*), 107
Speech and writing functions in the frontal language area, location of: results of extraoperative cortical stimulation (Lesser *et al.*), 275
Speech-like sounds, degraded discrimination between, by patients with multiple sclerosis and with Friedreich's ataxia (Quine *et al.*), 1113
Speech production, a two-route model of: evidence from aphasia (McCarthy and Warrington), 463
Sphenoid sinus carcinoma, neuro-ophthalmology of (Harbison *et al.*), 855
Spinal cord injury, sympathetic activity in man after: outflow to skin below the lesion (Wallin and Stjernberg), 183
Spinal cord in man, topographical anatomy of the posterior columns of (Smith and Deacon), 671
Stretch reflexes, ankle, in normal and spastic subjects: the response to sinusoidal movement (Rack *et al.*), 637
Stroke patients, mood disorders in: importance of location of lesion (Robinson *et al.*), 81
Subfornical organ of the brain, specific receptors for calcitonin in (Rouleau *et al.*), 107
Sympathetic activity in man after spinal cord injury: outflow to skin below the lesion (Wallin and Stjernberg), 183

Tactile afferents, single, from the human hand, microstimulation of (Vallbo *et al.*), 727
Tonic-clonic seizures, generalized, hormonal responses to (Aminoff *et al.*), 569
Topographical anatomy of the posterior columns of the spinal cord in man: the long ascending fibres (Smith and Deacon), 671
Trigeminal anaesthesia, congenital (Rosenberg), 1073
Two-route model of speech production: evidence from aphasia (McCarthy and Warrington), 463

Visual discomfort, neurological basis for (Wilkins *et al.*), 989
Visual object transforms in monkeys, impairments of (Weiskrantz and Saunders), 1033
Visual processing deficits as assessed by spatial frequency contrast sensitivity and backward masking in normal ageing and Alzheimer's disease (Schlotterer *et al.*), 309
Visual stabilization of posture: physiological stimulus characteristics and clinical aspects (Paulus *et al.*), 1145

Xanthomatous nerves, lipid abnormalities of (Yao *et al.*), 597
Xenon-133 inhalation and emission tomography: study of regional cerebral blood flow during migraine attacks (Lauritzen and Olesen), 447